



2025

WALL LIGH PRODUCTS

Nelux Architectural Lighting Products
Whatsapp: +852 5349 0724
sales@nelux.com.hk
www.nelux.com.hk

Head office: China, HK, Wanchai,
Central Plaza, 18 Harbour road, 32/F, Office 3208
Workhouse: China , HK, Tuen Mun, Sun Hing Industrial Building, 22 Kin Fat Street, 11th Floor

Tel:+852 28600042
Fax:+852 28600066
WeChat: neluxury

nelux garden lighting products

NELUX ARCHITECTURAL LIGHTING - OUTDOOR LIGHTING 2024-2025



Nelux Architectural Lighting Products

nelux
Producing your dreams

WALL LIGHT PRODUCTS

ARCHITECTURAL & COMMERCIAL LIGHTING

www.nelux.com.hk

salesnelux@gmail.com

SMART
+
MODERN
FORM
+
LONG
LIFESPAN
+
LIGHTING
SOLUTIONS



14 years ago a group of us bonded together with the bright idea to bring unique design and top quality led lighting system to market. All for architectural and commercial lighting products reflect the core of modularity, convenience and affordability.

Nelux a tech-style luminaire firm that focuses on innovation. These innovation based on our deep cooperation with lighting designers, we know what you need, we know how to bring a better lighting in your space.

Working with us comes with some awesome perks

INNOVATIVE TECHNOLOGY:

With years deep communication with designers, We continuously strive to bring the latest lighting components and technological innovations to LED lighting products

COMPREHENSIVE DATASHEET SUPPORT:


In Nelux, we always think about how to help our customers finish their work, see what we can do for you, Lighting design, IES Files, High resolution photos, You just sent us DWG file, we will work for you with a experience team

CUSTOMIZATION:

With a wide variety of marketing content from catalogue choose, if customers still need a special or unique design for lighting, our global sales team will work with you to user in a customization lighting solution for your customers.



WELCOME TO WALL LIGHT PRODUCTS



PL860

Description: Garden light lamp

Material: Aluinium+Acrylic

Watts: 60W

Led Input: AC 90-260V IP54

Colour: black

Product Size(mm): L200*W200*H1000

CCT:3000K

LWA0860

Description: Garden Light Lamp

Material: Aluminium + Acrylic

Watts: 60W

Led Input: AC90-260V Ip54

Colour: Black

Product size(mm) :

L200*W200*H385

CCT: 3000K





CY0860

Description: Garden light lamp

Material: Aluinium+Acrylic

Watts: 60W


Led Input: AC 90-260V IP54

Colour: black

Product Size(mm):


L200*W200*H335

CCT:3000K




OT860

Description: Garden light lamp
Material: Aluinium+Acrylic
Watts: 60W
Led Input: AC 90-260V IP54
Colour: black
Product Size(mm): L200*W200*H335
CCT:3000K



outdoor wall lamp IP54 3000K Epistar LED






| outdoor wall lamp | IP54 | 3000K | Epistar LED |


WLA0850A
5W*2

L100*W100*H90



WLA0850A- I A
3W

L100*W100*H90



● black ○ white ● Dark grey

outdoor wall lamp IP54 3000K Epistar LED






outdoor wall lamp IP54 3000K Epistar LED






| outdoor wall lamp | IP54 | 3000K | Epistar LED |


WLA0849-250A L250*W160*H85
20W



WLA0849-395A L395*W160*H85
30W



WLA0849-550A L550*W160*H85
45W





● black ○ white ● Dark grey



WLA071 OA 200*200*H200mm
5W

WLA071 OA(E27) 200*200*H200mm
5W




● black ○ white ● Dark grey





outdoor wall light | AC 90-260VAC 50/60HZ | IP65 | 3000K | Epistar LED |

WLA07I 2A 185*116*55mm
6*H95mm 5W



● black ○ white ● Dark grey





outdoor wall light | IP65 | 3000K | Epistar LED |

WLA0708A-(GU 10) 130*100*H140mm
5W



WLA0708B-(GU 10) 100*90*H130mm
5W



● black ○ white ● Dark grey





Outdoor wall light | AC 90-260VAC 50/60HZ IP65 3000K | Epistar LED

WLA0708A 130*100*H140mm
5W



WLA0708B 100*90*H130mm
5W



● black ○ white ● Dark grey





Outdoor wall light AC 90-260VAC 50/60HZ IP65 3000K | Epistar LED

WLA0709A 180*140*H100mm
5W



● black ○ white ● Dark grey





outdoor wall light | AC 90-260VAC 50/60HZ | IP65 | 3000K | Epistar LD |

WLA071 IA 155*106*H106mm
2W+4W




● black ○ white ● Dark grey






| outdoor wall lamp | AC 90-260VAC 50/60HZ | IP54 | 3000K | Epistar LED |

WLA07 I3A 200*200*H90mm
5W




● black ○ white ● Dark grey






| outdoor wall lamp | AC 90-260VAC 50/60HZ | IP54 | 3000K | Epistar LED |

WLA0833A 140*140*H90mm
5W




● black ○ white ● Dark grey





| outdoor wall lamp | AC 90-260VAC 50/60HZ | IP54 | 3000K | Epistar LED |

WLA0834A 106*106*H90mm
5W




● black ○ white ● Dark grey




| outdoor wall lamp | AC 90-260VAC 50/60HZ | IP54 | 3000K | Epistar LED |

WLA0835A 210*116*H95mm
6W




● black ○ white ● Dark grey





outdoor wall light | AC 90-260VAC 50/60HZ | IP65 | 3000K | Epistar LED |

WLA0047- IS 6W L80*W68*H80mm




● black ○ white ● Dark grey




outdoor wall light | AC 90-260VAC 50/60HZ | IP65 | 3000K | Epistar LED |

WLA0047- ID L80*W68*H80mm
6W




● black ○ white ● Dark grey





outdoor wall light | AC 90-260VAC 50/60HZ | IP65 | 3000K | Epistar LED |

WLA0685-2A L118*W105*H90mm
12W




● black ○ white ● Dark grey





Ceiling Lamp | AC 90-260VAC 50/60HZ| IP65 | 3000K | Epistar LED |

WLA0047-2D L80*W68*H160
12W



● black ○ white ● Dark grey



Outdoor Light | AC 90-260VAC 50/60Hz | IP65 | 3000K | Epistar LED

WLA0047-2 L80*W68*H160
S12W




● black ○ white ● Dark grey





Outdoor Light | AC 90-260VAC 50/60Hz | IP65 | 3000K | Epistar

WLA0150-2S L115*W100*H100mm
12W






●black ○white ●Dark grey








| outdoor wall lamp | IP54 | 3000K | E27 lamp holder |

WLA0846-350A 140*140*350
8W



WLA0846-500A 140*140*500
2*8W






● black ○ white ● Dark grey








| outdoor garden Lamp | IP54 | 3000K | E27 lamp holder |

CY0846-350A 140*140*350
8W



CY0846-500A 140*140*500
8W













| outdoor wall lamp | AC 90-260VAC 50/60HZ | IP54 | 3000K | Epistar LED |

WLA0846-350B 140*165*350
8W



WLA0846-500 140*165*500
B15W




● black ○ white ● Dark grey





| outdoor wall lamp | AC 90-260VAC 50/60HZ | IP54 | 3000K | Epistar LED |

WLA0846-350C 140*140*350
8W




● black ○ white ● Dark grey






| outdoor courtyard | AC 90-260VAC 50/60Hz | IP54 | 3000K | Epistar LED

CY0846-350C 140*140*350
8W




CY0846-500C 140*140*500
8W



● black ○ white ● Dark grey





WLA0137A

Description: Wall lamp
Material: pure Aluinium
Watts: 6w
Led Input: AC 90-260V AC 50/60HZ IP65
Colour: black/ white
Product Size(mm):135*135*35
CCT:3000k




WLA0137B

Description: Wall lamp
Material: pure Aluinium
Watts: 12w
Led Input: AC 90-260V AC 50/60HZ IP65
Colour: black/ white
Product Size(mm):180*180*40
CCT: 3000k



WLA0119B

Description: Wall lamp
Material: pure Aluminium
Watts: 7w
Led Input: AC 90-260V AC 50/60HZ IP65
Colour: black/ white
Product Size(mm): W178X156HX46E
CCT:3000k





WLA919

Description: Wall lamp
Material: pure Aluminium
Watts: 10w
Led Input: AC 90-260V AC 50/60HZ IP65
Colour: white
Product Size(mm): 90*200*90
CCT:3000k





WLA0047A **DOWN**

Description: Wall lamp

Material: pure Aluminium


Watts: 20w

Led Input: AC 90-260V AC 50/60HZ IP65

Colour: black / white

Product Size(mm): Φ105*175*115

CCT:3000k



WLA0048A

Description: Wall lamp
Material: pure Aluinium
Watts: 10w
Led Input: AC 90-260V AC 50/60HZ IP65
Colour: black / white
Product Size(mm): L60*W60*H160
CCT:3000k




WLA0048C

Description: Wall lamp
Material: pure Aluinium
Watts: 5w
Led Input: AC 90-260V AC 50/60HZ IP65
Colour: black / white
Product Size(mm): L60*W60*H160
CCT:3000k



WLA0048B

Description: Wall lamp
Material: pure Aluinium
Watts: 5w
Led Input: AC 90-260V AC 50/60HZ IP65
Colour: black / white
Product Size(mm): L60*W60*H160
CCT:3000k





WLA0150B

Description: Wall lamp
Material: pure Aluinium
Watts: 2*9w
Led Input: AC 90-260V AC 50/60HZ IP65
Colour: white /black / Dark grey
Product Size(mm): 100*170*115
CCT:3000k

WLA0150A


Description: Wall lamp
Material: pure Aluinium
Watts: 9w
Led Input: AC 90-260V AC 50/60HZ IP65
Colour: white /black / Dark grey
Product Size(mm): 90*90*105
CCT:3000k





WLA803

Description: Wall lamp
Material: pure Aluinium
Watts: 6w
Led Input: AC 90-260V AC 50/60HZ IP65
Colour: white/black
Product Size(mm): 100*100*100
CCT:3000k



WLA803L

Description: Wall lamp
Material: pure Aluinium
Watts: 12w
Led Input: AC 90-260V AC 50/60HZ IP65
Colour: white/black
Product Size(mm): L150*E150*H150
CCT:3000k



WLA0166A

Description: wall lamp

Material: pure Aluminium

Watts: 14w

Led Input: AC 90-260V AC 50/60HZ IP65

Colour: white/black

Product Size(mm): 150*150*40

CCT:3000k



WLA0231A

Description: Wall lamp

Material: pure Aluminium

Watts: 18w

Led Input: AC 90-260V AC 50/60HZ IP65

Colour: black

Product Size(mm): L100*W100*H150

CCT:3000k





WLA0149A
Description: Wall lamp
Material: pure Aluinium
Watts: 2*7W
Led Input: AC 90-260V AC 50/60HZ IP65
Colour: white /black / Dark grey
Product Size(mm): W50*150H*80E
CCT:3000k



WLA0148A
Description: Wall lamp
Material: pure Aluinium
Watts: 7W
Led Input: AC 90-260V AC 50/60HZ IP65
Colour: white /black / Dark grey
Product Size(mm): W100*140H*75E
CCT:3000k



WLA0148B
Description: Wall lamp
Material: pure Aluinium
Watts: 2*7W
Led Input: AC 90-260V AC 50/60HZ IP65
Colour: white /black / Dark grey
Product Size(mm): W100*165H*75E
CCT:3000k



WLA0053A

Description: wall lamp
Material: pure Aluinium
Watts: 12W
Led Input: AC 90-260V AC 50/60HZ IP65
Colour: white /black
Product Size(mm): 150*129*78.5
CCT:3000k





WLA0176S


Description: wall lamp
Material: pure Aluinium
Watts: 2*5W
Led Input: AC 90-260V AC 50/60HZ IP65
Colour: white /black
Product Size(mm): 70*160
CCT:3000k



WLA0176L

Description: wall lamp
Material: pure Aluinium
Watts: 2*5W
Led Input: AC 90-260V AC 50/60HZ IP65
Colour: white /black
Product Size(mm): 80*200
CCT:3000k



3000-6500K



WLA0039A

Description: Wall Lamp
 Material: pure aluminium
 Watts: 9W
 Led input: AC90-260VAC 50/60Hz IP54
 Color: white
 Product size : 210*H210*75mm

APPLICATIONS



WL0176S

Description: Wall lamp
Material: pure aluminum
Watts: 2*5W
Led input: AC 90-260VAC IP54
Colour: white black
Product size(mm): 70*160

WL0176L


Description: Wall lamp
Material: Pure aluminum
Watts: 2*5W
Led input: AC90-260VAC 50/60Hz IP54
Colour: White Black
Product size (mm): 80*200



WLA0040A

Description: Wall lamp
Material: Pure aluminium
Watts: 9W
Led input: AC90-260VAC IP54
Colour: white
Product size (mm): 180*H270*60mm

APPLICATION



WL0029A

Description: Wall lamp
Material: Pure aluminium
Watts: 9W
Led input: AC90-260VAC 50/60Hz IP54
Colour: White
Product Size (mm): 225mm*150mm

OUTDOOR LIGHTING | WALL LIGHT

THANK YOU

Nelux Architectural Lighting Products
Whatsapp: +852 5349 0724
sales@nelux.com.hk
www.nelux.com.hk

Head office: China, HK, Wanchai,
Central Plaza, 18 Harbour road, 32/F, Office 3208
Workhouse: China , HK, Tuen Mun, Sun Hing Industrial Building, 22 Kin Fat Street, 11th Floor

Tel:+852 28600042
Fax:+852 28600066
WeChat: neluxury