

RECHARGEABLE LAMPS

CATALOG 2023






Ref: KH1002-360A-CC
Download from www.nelux.com.hk

Nelux producing and distributing the best Rechargeable Lamps from HK to the world.

RECHARGEABLE LAMPS



RECHARGEABLE TABLE LAMP





Masti Rechargeable Lamp



Lámpara de sobremesa recargable con sistema de carga por contacto. Encendido y apagado sencillo, ajuste de la temperatura del color y el brillo. La combinación de nogal negro norteamericano y aleación de aluminio se suma a la elegancia del producto. La veta natural y el color del nogal negro dan a cada lámpara de mesa un carácter único.



Rechargeable table lamp with a contact charging system. Easily switch on and off, adjust colour temperature and brightness. The combination of North American black walnut and aluminium alloy adds to the elegance of the product. The natural grain and colour of the black walnut give each table lamp a unique character.





Masti Rechargeable Lamp



El recubrimiento en polvo mate y el diseño a juego con cromo brillante son el equilibrio perfecto entre alto brillo y mate, sin hacer que toda la lámpara brille demasiado, pero con un sentido de lo que la hace destacar.



The matt powder coating and lustre chrome matching design is the perfect balance of high gloss and matt, without making the whole lamp too shining, but with a sense of what makes it stand out.





Masti Rechargeable Lamp

El cuerpo de fundición de aluminio a presión con pantalla de vidrio de borosilicato alto . Vienen con un difusor de diseño óptico que combina numerosos reflejos de luz y refracción, produciendo una luz uniforme y cómoda, proporcionando una luz relajante para una cena inolvidable.



Die-casting body with high borosilicate glass shade makes for a relaxing outdoor evening. Come with an optical design diffuser that combines numerous light reflections and refraction, producing even and comfortable light.



Masti
Wood

Dark Grey




Matt White



Matt Black



Corten



MAIN FEATURES

Light source: OSRAM SMD 2835
 Colour temperature: 2700K & 3000K (switchable)
 Colour rendering index: CRI > 80
 Luminaire wattage: 2.5W
 Voltage: DC3.7V
 Luminaire luminous flux: 120lm
 Light distribution: Wide
 Battery type: Li-ion battery
 Battery capacity: 3000mAh
 Full battery charge: ≤ 4 hours

Battery working time: ≥ 6 hours (100% light intensity)
 Battery charge protection:
 Equipped with a self-protection system Adapter(optional): CLASS II;
 Input AC100-240V; Output DC5V 1A; Single contact charging base incl-: 1.5m USB cable
 Switch: Button ON/OFF
 Dimmer: Stepless dimmable 5%-100%
 Memory function: Memory of brightness and colour temperature Protection class: IP65
 Safety: CLASS III
 Weight: 0.67kg

Masti
Chrome Color Matching

Orange



Green Grey



Blue



Yellow



Dark Grey





Matt White



Matt Black



Corten

Masti
Powder CoatingMasti
PC Shade

MAIN FEATURES

Light source: OSRAM SMD 2835
 Colour temperature: 2700K & 3000K (switchable) Colour rendering index: CRI > 80
 Luminaire wattage: 2.5W
 Voltage: DC3.7V
 Luminaire luminous flux: 120lm
 Light distribution: Wide
 Battery type: Li-ion battery
 Battery capacity: 4400mAh
 Full battery charge: ≤ 6.5 hours


Battery working time: ≥ 10 hours (100% light intensity)
 Battery charge protection: Equipped with a self-protection system Adapter(optional): CLASS II;
 Input AC100-240V;
 Output DC5V 1A;
 Single contact charging base incl-: 1.5m USB cable
 Switch: Button ON/OFF
 Dimmer: Stepless dimmable 5%-100%
 Memory function: Memory of brightness and colour temperature
 Protection class: IP65
 Safety: CLASS III
 Weight: 0.67kg




Delos (Vase, Bowl and Wine-cooler)



Delos



Delos90



Delos90 Base



Cobalt Blue



Ruby Red



Pale Green



Matt Sand



Dark Grey



Matt White



Matt Black



Corten




MAIN FEATURES

Light source: OSRAM SMD 2835
 Colour temperature: 700K & 3000K(switchable)
 Colour rendering index: CRI≥80
 Luminaire connected wattage: 2.5 W
 Voltage: DC3.7V
 Luminaire luminous flux: 80lm
 Light distribution: Wide
 Battery type: Li-ion battery
 Battery charge ≤ 6 hours
 Battery working time: ≥ 11 hours (100% light intensity)

Adapter(optional): CLASS II;
 Input AC100-240V;
 Output DC5V 1A;
 Single contact charging base incl-: 1.5m USB cable
 Multi contact charging shelf(optional): Stackable up to 3 levels.
 One charger shelf charges 6 table lamps together.
 Manual switch: Button ON/OFF
 Dimmer switch: Stepless dimmable 5%-100%
 Memory function: Memory of brightness and colour temperature
 Protection class: IP65
 Safety: Class III
 Weight: 515g/697g




Delos




Delos90




Delos




Delos90



Delos



Delos90



Cobalt Blue



Ruby Red



Pale Green



Matt Sand



Dark Grey



Matt White



Matt Black



Corten



MAIN FEATURES

Light source: OSRAM SMD 2835
 Colour temperature: 2700K & 3000K(switchable) Colour rendering index: CRI≥80
 Luminaire connected wattage: 2.5 W
 Voltage: DC3.7V
 Luminaire luminous flux: 110lm
 Light distribution: Wide
 Battery type: Li-ion battery
 Battery charge ≤ 6 hours

Battery working time: ≥ 11 hours (100% light intensity)
 Adapter(optional): CLASS II;
 Input AC100-240V;
 Output DC5V 1A;
 Single contact charging base incl-: 1.5m USB cable
 Manual switch: Button ON/OFF
 Dimmer switch: Stepless dimmable 5%-100%
 Memory function: Memory of brightness and colour temperature
 Protection class: IP65
 Safety: Class III
 Weight: 850g/1450g/1050g





MILOS se puede utilizar como lámpara de mesa. Miłos es una lámpara LED de filamento con pantalla de vidrio soplado a mano. La lámpara y el cristal crean un ambiente mágico y elegante. También se puede utilizar como aplique de pared. El cabezal de la luz se puede girar libremente, el diseño inalámbrico con un hueco de gancho en la parte inferior para elegir la posición de montaje.




MILOS can be used as a table lamp. A filament style illuminates a hand-blown glass shade LED lamp. The lamp and the glass create a magical and elegant atmosphere. It can also be used as a wall light. The light head can be freely rotated, the cordless design with a hook recess at the bottom for your choice of mounting position.





Milos



Milos

Cobalt Blue



Ruby Red



Pale Green



Matt Sand



Dark Grey



Matt White



Matt Black



Corten



MAIN FEATURES

Light source: Filament style LED
 Colour temperature: 2200K
 Colour rendering index: CRI > 80
 Luminaire wattage: 1.8W Voltage: DC3.7V
 Luminaire luminous flux: 120lm
 Light distribution: Wide
 Battery type: Li-ion battery
 Battery capacity: 4400mAh
 Full battery charge: ≤ 6.5 hours

Battery working time: ≥ 10 hours (100% light intensity)
 Battery charge protection: Equipped with a self-protection system Adapter(optional):
 CLASS II;
 Input AC100-240V;
 Output DC5V 1A;
 Single contact charging base incl-: 1.5m USB cable
 Switch: Touch ON/OFF
 Dimmer: Stepless dimmable 5%-100%
 Memory function: Memory of brightness
 Protection class: IP65
 Safety: CLASS III
 Weight: 0.84kg







 MILOS emite más luz de lo que cabría esperar y no deslumbra. El vidrio soplado a mano de ópalo se asemeja a una joya brillante cuando se enciende la lámpara de mesa. La sensación es cálida y elegante.



 MILOS emits more light than one would expect and is glare-free. Opal hand-blown glass resembles a glowing jewel when turned on the table lamp. The feeling is warm and elegant.





MAIN FEATURES

Light source: OSRAM SMD 2835
 Colour temperature: 2700K & 3000K & 4000K (switchable)
 RGB: Red, orange, yellow, green, blue, indigo & violet (switchable)
 Colour rendering index: CRI≥80
 Luminaire connected wattage: 2.5 W
 Voltage: DC3.7V
 Luminaire luminous flux: 100lm
 Light distribution: Wide
 Battery type: Li-ion battery
 Battery capacity: 4400mAh

USB charging time: ≤ 6.5 hours
 Battery working time: ≥ 10.5 hour (100% light intensity) Adapter(optional): CLASS II;
 Input AC100-240V;
 Output DC5V 1A;
 Single contact charging base incl-: 1.5m USB cable
 Manual switch: Button ON/OFF
 Dimmer switch: Stepless dimmable 5%-100%
 Memory function: Memory of brightness for each CCT&RGB
 Protection class: IP65
 Safety: Class III
 Weight: 845g



Tasos Recharge Lamp



Tasos Recharge Lamp

🇪🇸 Lámpara de sobremesa recargable con base de carga por contacto. La apariencia mantiene una geometría simple para brindar una sensación limpia y armoniosa. El diseño brinda una herramienta de iluminación confiable para interiores y exteriores. Botón táctil simple e intuitivo. Encienda y apague fácilmente, ajuste la temperatura del color y el brillo tocando el anillo en el panel de vidrio templado negro



🇬🇧 Rechargeable table lamp with a contact charging base. The appearance keeps simple geometry to bring clean and harmonious feeling. The design gives a reliable in & outdoor lighting tool. Simple, intuitive touch button. Easily switch on and off, adjust colour temperature and brightness by touching the ring on the black tempered glass panel.





Tasos Recharge Lamp

🇪🇸 Lámpara de sobremesa recargable con base de carga por contacto. La apariencia mantiene una geometría simple para brindar una sensación limpia y armoniosa. El diseño brinda una herramienta de iluminación confiable para interiores y exteriores. Botón táctil simple e intuitivo. Encienda y apague fácilmente, ajuste la temperatura del color y el brillo tocando el anillo en el panel de vidrio templado negro



🇬🇧 Rechargeable table lamp with a contact charging base. The appearance keeps simple geometry to bring clean and harmonious feeling. The design gives a reliable in & outdoor lighting tool. Simple, intuitive touch button. Easily switch on and off, adjust colour temperature and brightness by touching the ring on the black tempered glass panel.





Tasos colour

Tasos bright

Tasos Size

Dark Grey



Matt White



Matt Black



Corten



Stainless Steel



Lustre Copper



Lustre Gold



Lustre Space Grey



MAIN FEATURES

Light source: OSRAM SMD 2835
 Colour temperature: 2700K & 3000K (switchable)
 Colour rendering index: CRI > 80
 Luminaire wattage: 2.5W
 Voltage: DC3.7V
 Luminaire luminous flux: 120lm
 Light optics: 110°
 Light distribution: Wide
 Battery type: 18650 Li-ion battery
 Battery capacity: 2200mAhx2
 Battery charge: ≤6.5 hours
 Battery life: ≥ 10 hours (100% light intensity)

Battery charge protection: Equipped with a self-protection system Adapter(optional): CLASS II;
 Input AC100-240V;
 Output DC5V 1A;
 Single contact charging base incl-: 1.5m USB cable
 Multi contact charging shelf(optional): Stackable up to 3 levels. One charger shelf charges 6 table lamps together.
 Switch: Touch ON/OFF
 Dimmer: Touch stepless dimmable 5%-100%
 Memory function: Memory of brightness and colour temperature
 Protection class: IP65
 Safety: Class III
 Weight: 0.49kg



Kea Recharge Lamp



Kea Recharge Lamp


La apariencia mantiene estructuras geométricas simples, y el diseño simétrico brinda una armoniosa sensación de equilibrio. El cuerpo de la lámpara está hecho de fundición a presión de aluminio resistente a los impactos, y el difusor de policarbonato esmerilado hace que la iluminación sea más suave, brindando a las personas una experiencia cómoda para comer o leer.



The appearance keeps simple and atmospheric geometric structures, and the symmetrical design gives people a harmonious sense of balance. The lamp body is made of impact-resistant aluminium die casting, and the frosted PC diffuser makes the lighting softer, giving people a comfortable dining or reading experience.



The appearance keeps simple and atmospheric geometric structures, and the symmetrical design gives people a harmonious sense of balance. The lamp body is made of impact-resistant aluminium die casting, and the frosted PC diffuser makes the lighting softer, giving people a comfortable dining or reading experience.



Dark Grey



Matt White



Matt Black



Corten



Ocean Blue



Ruby Red



MAIN FEATURES

Light source: OSRAM SMD 2835
Colour temperature: 2700K & 4000K (switchable)
Colour rendering index: CRI > 80
Luminaire wattage: 3W
Voltage: DC3.7V
Luminaire luminous flux: 150lm
Light distribution: Wide
Battery type: 18650 Li-ion battery
Battery capacity: 2200mAhx2
Battery charge: ≤6.5 hours

Battery life: ≥ 10 hours (100% light intensity)
Battery charge protection: Equipped with a self-protection system Adapter(optional): CLASS II;
Input AC100-240V;
Output DC5V 1A;
Single contact charging base incl-: 1.5m USB cable
Switch: Touch ON/OFF
Dimmer: Touch stepless dimmable 5%-100%
Memory function: Memory of brightness and colour temperature
Protection class: IP65
Safety: Class III
Weight: 900g



Jalki II Recharge Lamp



Jalki II Recharge Lamp



Lámpara de sobremesa recargable con sistema de carga por contacto magnético. Control de perilla simple e intuitivo. Enciende y apague fácilmente, ajuste la temperatura del color y el brillo a través de una perilla. Todas estas características están alojadas en una fundición de aluminio simple, elegante y diseño sencillo




Rechargeable table lamp with a magnetic contact charging system. Simple, intuitive knob control. Easily switch on and off, adjust colour temperature and brightness via a knob. All these features are housed in a simple, elegant, and beautiful aluminium casting. It comes with an optical design diffuser that combines numerous light reflections and refraction, producing even and comfortable light.






 Lámpara de sobremesa recargable con sistema de carga por contacto magnético. Control de perilla simple e intuitivo. Encienda y apague fácilmente, ajuste la temperatura del color y el brillo a través de una perilla. Todas estas características están alojadas en una fundición de aluminio simple, elegante y con un diseño sencillo. Viene con un difusor de diseño óptico que combina numerosos reflejos de luz y refracción, produciendo una luz uniforme y cómoda.



 Rechargeable table lamp with a magnetic contact charging system. Simple, intuitive knob control. Easily switch on and off, adjust colour temperature and brightness via a knob. All these features are housed in a simple, elegant, and beautiful aluminium casting. It comes with an optical design diffuser that combines numerous light reflections and refraction, producing even and comfortable light.





MAIN FEATURES

- Light source: OSRAM SMD

Colour temperature: 2700K - 4000K (stepless adjustable)

Dimmable: 5%-100% brightness (stepless adjustable)

Colour rendering index: CRI > 80

Luminaire connected wattage: 3.5 W

Voltage: DC3.7V

Luminaire luminous flux: 150lm

Light optics: 100°

Light distribution: Wide

Battery type: 18650 Li-ion battery

Battery capacity: 2200mAhx2
- Battery charge: < 6.5hrs

Battery life: > 11hrs (100% light intensity)

Battery charge protection: Equipped with a self-protection system Adapter(optional): CLASS II;

Input AC100-240V;

Output DC5V 1A;

Magnetic contact charging system: 1.2m USB cable included Switchs ON/OFF: Press knob

Adjusts brightness: Turn knob

Adjusts colour temperature: Press and turn knob

Memory function: Memory of brightness & colour temperature


Protection class: IP65

Safety: Class III



Citnos Recharge Lamp

 Lámpara de sobremesa recargable con base de carga por contacto. Este accesorio consta de un cilindro con bordes y un fondo redondo. Lámpara de mesa inalámbrica que proporciona luz directa hacia abajo y sin deslumbramiento. La batería dispone de más de 10 horas de duración. Protección IP65, por lo que es ideal para uso en interiores y exteriores. Cabezal, varilla y base fabricados en aleación de aluminio resistente a la corrosión y pintado. Protección con pintura en polvo de poliéster.



 Rechargeable table lamp with a contact charging base. This fixture consists of an edged cylinder and a round bottom. Cordless table lamp providing direct downward and glare-free light. More than 10 hours of battery life. IP65 protection, making it ideal for indoor and outdoor use. Head, rod and base made in corrosion resistant and painted aluminium alloy. Protection with polyester powder coating.





Citnos Recharge Lamp

 Lámpara de sobremesa recargable con base de carga por contacto. Lámpara de mesa inalámbrica que proporciona luz directa hacia abajo y sin deslumbramiento. Más de 10 horas de duración de la batería. Protección IP65, por lo que es ideal para uso en interiores y exteriores. Cabezal, varilla y base fabricados en aleación de aluminio resistente a la corrosión y pintado. Protección con pintura en polvo de poliéster. Difusor fabricado en policarbonato. Producto sin tornillos visibles.




 Rechargeable table lamp with a contact charging base. Cordless table lamp providing direct downward and glare-free light. More than 10 hours of battery life. IP65 protection, making it ideal for indoor and outdoor use. Head, rod and base made in corrosion resistant and painted aluminium alloy. Protection with polyester powder coating. Diffuser made in polycarbonate. Product with no visible screws.





Citnos I



Citnos I Size



Citnos II



Citnos II Size

Dark Grey



Matt White



Matt Black



Corten



Orange



Blue



Green Grey



Yellow



MAIN FEATURES

Light source: OSRAM LED Module
Colour temperature: 2700K & 3000K (switchable)
Colour rendering index: CRI > 80
Luminaire connected wattage: 2.2 W
Voltage: DC3.7V
Luminaire luminous flux: 150lm
Light optics: 100°
Light distribution: Wide
Battery type: 18650 Li-ion battery
Battery capacity: 2200mAhx2
Battery charge: < <6.5hrs

Battery life: < 11hrs (100% light intensity)
Battery charge protection: Equipped with a self-protection system Adapter(optional): CLASS II;
Input AC100-240V;
Output DC5V 1A;
Single contact charging base incl-: 1.5m USB cable
Multi contact charging shelf(optional): Stackable up to 3 levels. One charger shelf charges 6 table lamps together.
Switch: Touch ON/OFF
Dimmer: Touch stepless dimmable 5%-100%
Memory function: Memory of brightness
Protection class: IP65
Safety: Class III



Chios Recharge Lamp



Chios Recharge Lamp



Lámpara de sobremesa recargable con base de carga por contacto. Este accesorio consta de un cilindro cónico y un fondo redondo. Lámpara de mesa inalámbrica que proporciona luz directa hacia abajo y sin deslumbramiento. Más de 10 horas de duración de la batería. Protección IP65, por lo que es ideal para uso en interiores y exteriores. Cabezal, varilla y base fabricados en aleación de aluminio resistente a la corrosión y pintado. Protección con pintura en polvo de poliéster. Difusor fabricado en policarbonato.



Rechargeable table lamp with a contact charging base. This fixture consists of a conical cylinder and a round bottom. Cordless table lamp providing direct downward and glare-free light. More than 10 hours of battery life. IP65 protection, making it ideal for indoor and outdoor use. Head, rod and base made in corrosion resistant and painted aluminium alloy. Protection with polyester powder coating. Diffuser made in polycarbonate.





Chios Recharge Lamp




Lámpara de sobremesa recargable con base de carga por contacto. Este accesorio consta de un cilindro cónico y un fondo redondo. Lámpara de mesa inalámbrica que proporciona luz directa hacia abajo y sin deslumbramiento. Más de 10 horas de duración de la batería. Protección IP65, por lo que es ideal para uso en interiores y exteriores. Cabezal, varilla y base fabricados en aleación de aluminio resistente a la corrosión y pintado. Protección con pintura en polvo de poliéster. Difusor fabricado en policarbonato.



Rechargeable table lamp with a contact charging base. This fixture consists of a conical cylinder and a round bottom. Cordless table lamp providing direct downward and glare-free light. More than 10 hours of battery life. IP65 protection, making it ideal for indoor and outdoor use. Head, rod and base made in corrosion resistant and painted aluminium alloy. Protection with polyester powder coating. Diffuser made in polycarbonate.





MAIN FEATURES

Light source: OSRAM LED Module
Colour temperature: 2700K & 3000K (switchable)
Colour rendering index: CRI > 80
Luminaire connected wattage: 2.2 W
Voltage: DC3.7V
Luminaire luminous flux: 150lm
Light optics: 100°
Light distribution: Wide
Battery type: 18650 Li-ion battery
Battery capacity: 2200mAhx2
Battery charge: < 6.5hrs

Battery life: < 11hrs (100% light intensity)
Battery charge protection: Equipped with a self-protection system Adapter(optional): CLASS II;
Input AC100-240V;
Output DC5V 1A;
Single contact charging base incl-: 1.5m USB cable
Multi contact charging shelf(optional): Stackable up to 3 levels.
One charger shelf charges 6 table lamps together.
Switch: Touch ON/OFF
Dimmer: Touch stepless dimmable 5%-100%
Memory function: Memory of brightness
Protection class: IP65
Safety: Class III






Symi Recharge Lamp

 Lámpara de sobremesa recargable con base de carga por contacto. Este accesorio consta de un paralelepípedo y un fondo cuadrado. Lámpara de mesa inalámbrica que proporciona luz directa hacia abajo y sin deslumbramiento. Más de 10 horas de duración de la batería. Protección IP65, por lo que es ideal para uso en interiores y exteriores. Cabezal, varilla y base fabricados en aleación de aluminio resistente a la corrosión y pintado. Protección con pintura en polvo de poliéster. Difusor fabricado en policarbonato




 Rechargeable table lamp with a contact charging base. This fixture consists of a cuboid and a squared bottom. Cordless table lamp providing direct downward and glare-free light. More than 10 hours of battery life. IP65 protection, making it ideal for indoor and outdoor use. Head, rod and base made in corrosion resistant and painted aluminium alloy. Protection with polyester powder coating. Diffuser made in polycarbonate.







Symi Recharge Lamp

 Lámpara de sobremesa recargable con base de carga por contacto. Este accesorio consta de un paralelepípedo y un fondo cuadrado. Lámpara de mesa inalámbrica que proporciona luz directa hacia abajo y sin deslumbramiento. Más de 10 horas de duración de la batería. Protección IP65, por lo que es ideal para uso en interiores y exteriores. Cabezal, varilla y base fabricados en aleación de aluminio resistente a la corrosión y pintado. Protección con pintura en polvo de poliéster. Difusor fabricado en policarbonato.



 Rechargeable table lamp with a contact charging base. This fixture consists of a cuboid and a squared bottom. Cordless table lamp providing direct downward and glare-free light. More than 10 hours of battery life. IP65 protection, making it ideal for indoor and outdoor use. Head, rod and base made in corrosion resistant and painted aluminium alloy. Protection with polyester powder coating. Diffuser made in polycarbonate.






MAIN FEATURES

Light source: OSRAM LED Module
Colour temperature: 2700K & 3000K (switchable)
Colour rendering index: CRI > 80
Luminaire connected wattage: 2.2 W
Voltage: DC3.7V
Luminaire luminous flux: 150lm
Light optics: 100°
Light distribution: Wide
Battery type: 18650 Li-ion battery
Battery capacity: 2200mAhx2
Battery charge: < 6.5hrs

Battery life: < 11hrs (100% light intensity)
Battery charge protection: Equipped with a self-protection system Adapter(optional): CLASS II;
Input AC100-240V;
Output DC5V 1A;
Single contact charging base incl-: 1.5m USB cable
Multi contact charging shelf(optional): Stackable up to 3 levels. One charger shelf charges 6 table lamps together.
Switch: Touch ON/OFF
Dimmer: Touch stepless dimmable 5%-100%
Memory function: Memory of brightness
Protection class: IP65
Safety: Class III

RECHARGEABLE LANTERN





Syfnos Solar Hybrid Charging Lantern



Syfnos Solar Hybrid Charging Lantern



El vidrio transparente y la apariencia simple continúan con el concepto de diseño minimalista. Cuando cae la noche, se enciende de forma automática, disfrutando de una luz romántica y cálida



The transparent glass and simple appearance continue the minimalist design concept. When night falls, it lights up automatically, romantically and warmly.




Syfnos Solar Hybrid Charging Lantern

sales@nelux.com.hk




Syfnos I



Syfnos I Size



Syfnos II



Syfnos II Size

Dark Grey



Matt White



Matt Black



Corten



Orange



Blue



Green Grey




Yellow



MAIN FEATURES

Light source: OSRAM SMD 2835
Colour temperature: 2700K & 3000K (switchable) Colour rendering index: CRI > 80
Luminaire connected wattage: 2.5 W
Voltage: DC3.7V
Luminaire luminous flux: 150lm
Light distribution: Wide
Battery type: Li-ion battery
Battery capacity: 4400mAh
Solar charging time: ≤ 20 hours
USB charging time: ≤ 6.5 hours

Battery working time: ≥ 10 hour (100% light intensity)
Adapter(optional): CLASS II;
Input AC100-240V;
Output DC5V 1A;
USB Type C cable included: 1.5m USB cable
Manual switch: Button ON/OFF
Twilight sensor switch: Button ON/OFF
Dimmer switch: Button stepless dimmable 5%-100%
Memory function: Memory of brightness & colour temperature
Protection class: IP65
Safety: Class III
Weight: 1598g/2009g



Ticao Rechargeable Lanter




Ticao Rechargeable Lanter



La linterna LED a batería , dispone de un diseño moderno y gran ahorro de energía gracias a la tecnología de iluminación alimentada por batería. Recuerda formalmente a un farol clásico.



The battery LED lantern impresses with its modern design and energy-saving via battery-powered lighting technology. Formally reminiscent of a classic lantern.






Ticao Rechargeable Lanter




Un elegante y resistente farol fabricado en aluminio que se puede utilizar en combinación con cualquier mueble de exterior. Agrega elegancia a la mayoría de los espacios al aire libre. Se puede colocar al aire libre sin ningún problema. Está inspirado en la geometría básica. Transforma cubos hexaédricos simples en luces decorativas con características vivas para mejorar el ambiente externo y crear una experiencia visual emocionante. Combina función y estética y es un complemento para mejorar la usabilidad al aire libre.




An elegant and resistant lantern made of aluminium can be used in combination with any outdoor furniture. It adds elegance to most outdoor spaces. It can be placed outdoors without any problem. It's inspired by basic geometry. It transforms simple hexahedral cubes into decorative lights with lively features to improve the external environment and create an exciting visual experience. It combines function and aesthetics and is a supplement to enhance outdoor useability.





Ticao B

Ticao B Size



Ticao S

Ticao S Size




MAIN FEATURES

Light source: SMD LED Module
Colour temperature: 2700K & 3000K (switchable) Colour rendering index: CRI > 80
Luminaire connected wattage: 2.2W
Voltage: DC3.7V
Luminaire luminous flux: 150lm
Light optics: 360°
Light distribution: Wide
Battery type: 18650 Li-ion battery
Battery capacity: 2200mA×2
Battery charge: < 6.5hrs

Battery life: < 11hrs (100% light intensity)
Adapter(optional): CLASS II; Input AC100-240V;
Output DC5V 1A;
Magnetic contact charging system: 1.5m USB cable included Switch: Touch ON/OFF
Dimmer: Touch stepless dimmable 5%-100%
Memory function: Memory of brightness & colour temperature
Protection class: IP65
Safety: Class III

RECHARGEABLE FLOOR LAMP





Ticao Rechargeable Floor Lamp




Ticao Rechargeable Floor Lamp





Ticao B



Ticao B Size



Dark Grey



Matt White



Matt Black



Corten



Ruby Red



Ocean Blue



Green Grey

MAIN FEATURES

Light source: OSRAM SMD 2835
Colour temperature: 2700K, 3000K & 4000K (switchable)
Colour rendering index: CRI > 80
RGB: Red, orange, yellow, green, blue, indigo & violet (switchable)
Dimmer: Stepless dimmable 5%-100%
Memory function: Memory of brightness, colour temperature and RGB
Luminaire wattage: 10W
Voltage: DC3.7V
Luminaire luminous flux: 600lm
Light distribution: Wide
Battery type: 18650 Li-ion battery

Battery capacity: 13200mAh
Battery charge: ≤7.5 hours (Fast charging)
Battery life: ≥ 9 hours (100% light intensity)
Battery charge protection: Equipped with a self-protection system
Adapter included: CLASS II;
Input AC100-240V;
Output DC5V 3A;
Single contact charging base included: 2.0m USB cable
Double switch: ON/OFF & dimmer switch, CCT & RGB switch
Protection class: IP65
Safety: Class III
Weight: 9.4KG




Mykonos Rechargeable Floor Lamp



Mykonos Rechargeable Floor Lamp





MAIN FEATURES

Light source: OSRAM SMD 2835
Colour temperature: 2700K & 3000K (switchable)
Colour rendering index: CRI > 80
Luminaire wattage: 2.5W
Voltage: DC3.7V
Luminaire luminous flux: 120lm
Light optics: 110°
Light distribution: Wide
Battery type: 18650 Li-ion battery
Battery capacity: 2200mAhx2
Battery charge: ≤6.5 hours

Battery life: ≥ 10 hours (100% light intensity)
Battery charge protection: Equipped with a self-protection system Adapter(optional): CLASS II;
Input AC100-240V;
Output DC5V 1A;
Magnetic contact charging system: 1.5m USB cable
Switch: Touch ON/OFF
Dimmer: Touch stepless dimmable 5%-100%
Memory function: Memory of brightness and colour temperature
Protection class: IP65
Safety: Class III
Weight: 2.3kg



ENJOY OUR RECHARGEABLE LAMPS

MORE LAMPS CONTACT US



CUSTOMIZING FOR YOU

PRODUCING FROM HONG KONG TO THE WORLD

Address Head Office
18 harbour road, central plaza
32/F 3208 office, wanchai, HK

Address Assembling Workshop
22 Kín Fat St. 11th Floor, Sun Hing Industrial Building,
Tuen Mun, Hong Kong, China

NELUX group
www.nelux.com.hk
www.solucionled.com
Contact +852 28600042
Email salesnelux@gmail.com
Skype. neluxlighting
Whatsapp +852 5349 0724

