

RECHARGEABLE LAPS - PORTABLE LAMPS CATALOGUE 2022-2025


NELUX ARCHITECTURAL LIGHTING | PORTABLE LAMPS CATALOGUE 2025

Ref: KH1002-360A-CC
Download from www.nelux.com.hk

Nelux producing your dreams and distributing
the best Rechargeable Lamps from HK to the
world.

RECHARGEABLE LAMPS





Luxo Design  Luxo Design Italy  Luxo Gold  Luxo Copper 





RECHARGEABLE TABLE LAMP



Lámpara de sobremesa recargable con sistema de carga por contacto. Encendido y apagado sencillo, ajuste de la temperatura del color y el brillo. La combinación de nogal negro norteamericano y aleación de aluminio se suma a la elegancia del producto. La veta natural y el color del nogal negro dan a cada lámpara de mesa un carácter único.



Rechargeable table lamp with a contact charging system. Easily switch on and off, adjust colour temperature and brightness. The combination of North American black walnut and aluminium alloy adds to the elegance of the product. The natural grain and colour of the black walnut give each table lamp a unique character.





El recubrimiento en polvo mate y el diseño a juego con cromo brillante son el equilibrio perfecto entre alto brillo y mate, sin hacer que toda la lámpara brille demasiado, pero con un sentido de lo que la hace destacar.



The matt powder coating and lustre chrome matching design is the perfect balance of high gloss and matt, without making the whole lamp too shining, but with a sense of what makes it stand out.





 El cuerpo de fundición de aluminio a presión con pantalla de vidrio de borosilicato alto . Vienen con un difusor de diseño óptico que combina numerosos reflejos de luz y refracción, produciendo una luz uniforme y cómoda, proporcionando una luz relajante para una cena inolvidable.




 Die-casting body with high borosilicate glass shade makes for a relaxing outdoor evening. Come with an optical design diffuser that combines numerous light reflections and refraction, producing even and comfortable light.





Wood



Dark Grey



Matt White



Matt Black



Corten




MAIN FEATURES

Light source: OSRAM SMD 2835
 Colour temperature: 2700K & 3000K (switchable)
 Colour rendering index: CRI > 80
 Luminaire wattage: 2.5W
 Voltage: DC3.7V
 Luminaire luminous flux: 120lm
 Light distribution: Wide
 Battery type: Li-ion battery
 Battery capacity: 3000mAh
 Full battery charge: ≤ 4 hours

Battery working time: ≥ 6 hours (100% light intensity)
 Battery charge protection:
 Equipped with a self-protection system Adapter(optional): CLASS II;
 Input AC100-240V; Output DC5V 1A; Single contact charging base incl-: 1.5m USB cable
 Switch: Button ON/OFF
 Dimmer: Stepless dimmable 5%-100%
 Memory function: Memory of brightness and colour temperature Protection class: IP65
 Safety: CLASS III
 Weight: 0.67kg




Chrome Color Matching



Powder Coating



PC Shade



Orange



Green Grey



Blue



Yellow



Dark Grey



Matt White



Matt Black



Corten



MAIN FEATURES

Light source: OSRAM SMD 2835
 Colour temperature: 2700K & 3000K (switchable) Colour rendering index: CRI > 80
 Luminaire wattage: 2.5W
 Voltage: DC3.7V
 Luminaire luminous flux: 120lm
 Light distribution: Wide
 Battery type: Li-ion battery
 Battery capacity: 4400mAh
 Full battery charge: ≤ 6.5 hours

Battery working time: ≥ 10 hours (100% light intensity)
 Battery charge protection: Equipped with a self-protection system Adapter(optional): CLASS II;
 Input AC100-240V;
 Output DC5V 1A;
 Single contact charging base incl-: 1.5m USB cable
 Switch: Button ON/OFF
 Dimmer: Stepless dimmable 5%-100%
 Memory function: Memory of brightness and colour temperature
 Protection class: IP65
 Safety: CLASS III
 Weight: 0.67kg



La lámpara Glow dispone de dos modelos, tubo de vidrio hueco y tubo de acrílico sólido, con diferentes cuerpos de lámpara para satisfacer las necesidades de diferentes escenas.



In Glow lamp, there are two detachable lamp body accessories, hollow glass tube and solid acrylic tube, with different lamp bodies to meet the needs of different scenes.






Hollow Glass



Solid Tube



Dark Grey



Matt White



Stainless Steel



Lustre Copper



Lustre Gold



Lustre Space Grey



MAIN FEATURES

Light source: OSRAM SMD 3030

Colour temperature: 1800K & 2700K & 4000K (switchable) RGB: Red, orange, yellow, green, blue, indigo & violet (switchable) Colour rendering index: CRI $\geq$ 80

Luminaire connected wattage: 2.5 W

Voltage: DC3.7V

Luminaire luminous flux: 120lm

Light distribution: Wide

Battery type: Li-ion battery

Battery capacity: 4400mAh

Battery charge: $\leq$ 6 hours

Battery working time: $\geq$ 10 hour (100% light intensity)

Adapter(optional): CLASS II;

Input AC100-240V; Output DC5V 1A;

Single contact charging base incl-: 1.5m USB cable

Manual switch: Button ON/OFF

Dimmer switch: Knob stepless dimmable 0%-100%

Memory function: Memory of brightness for each CCT&RGB

Protection class: IP65

Safety: Class III


Weight: 440g/540g/640g




Delos (Vase, Bowl and Wine-cooler)



Delos



Delos90



Delos90 Base



Cobalt Blue



Ruby Red



Pale Green



Matt Sand



Dark Grey



Matt White



Matt Black



Corten




MAIN FEATURES

Light source: OSRAM SMD 2835
Colour temperature: 700K & 3000K(switchable)
Colour rendering index: CRI≥80
Luminaire connected wattage: 2.5 W
Voltage: DC3.7V
Luminaire luminous flux: 80lm
Light distribution: Wide
Battery type: Li-ion battery
Battery charge ≤ 6 hours
Battery working time: ≥ 11 hours (100% light intensity)

Adapter(optional): CLASS II;
Input AC100-240V;
Output DC5V 1A;
Single contact charging base incl-: 1.5m USB cable
Multi contact charging shelf(optional): Stackable up to 3 levels.
One charger shelf charges 6 table lamps together.
Manual switch: Button ON/OFF
Dimmer switch: Stepless dimmable 5%-100%
Memory function: Memory of brightness and colour temperature
Protection class: IP65
Safety: Class III
Weight: 515g/697g




Delos



Delos90




Delos



Delos90



Delos



Delos90

Cobalt Blue



Ruby Red



Pale Green



Matt Sand



Dark Grey



Matt White



Matt Black



Corten



MAIN FEATURES

Light source: OSRAM SMD 2835
Colour temperature: 2700K & 3000K(switchable) Colour rendering index: CRI≥80
Luminaire connected wattage: 2.5 W
Voltage: DC3.7V
Luminaire luminous flux: 110lm
Light distribution: Wide
Battery type: Li-ion battery
Battery charge ≤ 6 hours

Battery working time: ≥ 11 hours (100% light intensity)
Adapter(optional): CLASS II;
Input AC100-240V;
Output DC5V 1A;
Single contact charging base incl-: 1.5m USB cable
Manual switch: Button ON/OFF
Dimmer switch: Stepless dimmable 5%-100%
Memory function: Memory of brightness and colour temperature
Protection class: IP65
Safety: Class III
Weight: 850g/1450g/1050g





MILOS se puede utilizar como lámpara de mesa. Miłos es una lámpara LED de filamento con pantalla de vidrio soplado a mano. La lámpara y el cristal crean un ambiente mágico y elegante. También se puede utilizar como aplique de pared. El cabezal de la luz se puede girar libremente, el diseño inalámbrico con un hueco de gancho en la parte inferior para elegir la posición de montaje.




MILOS can be used as a table lamp. A filament style illuminates a hand-blown glass shade LED lamp. The lamp and the glass create a magical and elegant atmosphere. It can also be used as a wall light. The light head can be freely rotated, the cordless design with a hook recess at the bottom for your choice of mounting position.





Milos



Milos

Cobalt Blue



Ruby Red



Pale Green



Matt Sand



Dark Grey



Matt White



Matt Black



Corten





MAIN FEATURES

Light source: Filament style LED
Colour temperature: 2200K
Colour rendering index: CRI > 80
Luminaire wattage: 1.8W Voltage: DC3.7V
Luminaire luminous flux: 120lm
Light distribution: Wide
Battery type: Li-ion battery
Battery capacity: 4400mAh
Full battery charge: ≤ 6.5 hours

Battery working time: ≥ 10 hours (100% light intensity)
Battery charge protection: Equipped with a self-protection system Adapter(optional):
CLASS II;
Input AC100-240V;
Output DC5V 1A;
Single contact charging base incl-: 1.5m USB cable
Switch: Touch ON/OFF
Dimmer: Stepless dimmable 5%-100%
Memory function: Memory of brightness
Protection class: IP65
Safety: CLASS III
Weight: 0.84kg







MAIN FEATURES

Light source: OSRAM SMD 2835
Colour temperature: 2700K & 3000K & 4000K (switchable)
RGB: Red, orange, yellow, green, blue, indigo & violet (switchable)
Colour rendering index: CRI≥80
Luminaire connected wattage: 2.5 W
Voltage: DC3.7V
Luminaire luminous flux: 100lm
Light distribution: Wide
Battery type: Li-ion battery
Battery capacity: 4400mAh

USB charging time: ≤ 6.5 hours
Battery working time: ≥ 10.5 hour (100% light intensity) Adapter(optional): CLASS II;
Input AC100-240V;
Output DC5V 1A;
Single contact charging base incl-: 1.5m USB cable
Manual switch: Button ON/OFF
Dimmer switch: Stepless dimmable 5%-100%
Memory function: Memory of brightness for each CCT&RGB
Protection class: IP65
Safety: Class III
Weight: 845g





Lámpara de sobremesa recargable con base de carga por contacto. La apariencia mantiene una geometría simple para brindar una sensación limpia y armoniosa. El diseño brinda una herramienta de iluminación confiable para interiores y exteriores. Botón táctil simple e intuitivo. Encienda y apague fácilmente, ajuste la temperatura del color y el brillo tocando el anillo en el panel de vidrio templado negro



Rechargeable table lamp with a contact charging base. The appearance keeps simple geometry to bring clean and harmonious feeling. The design gives a reliable in & outdoor lighting tool. Simple, intuitive touch button. Easily switch on and off, adjust colour temperature and brightness by touching the ring on the black tempered glass panel.





 Lámpara de sobremesa recargable con base de carga por contacto. La apariencia mantiene una geometría simple para brindar una sensación limpia y armoniosa. El diseño brinda una herramienta de iluminación confiable para interiores y exteriores. Botón táctil simple e intuitivo. Encienda y apague fácilmente, ajuste la temperatura del color y el brillo tocando el anillo en el panel de vidrio templado negro



 Rechargeable table lamp with a contact charging base. The appearance keeps simple geometry to bring clean and harmonious feeling. The design gives a reliable in & outdoor lighting tool. Simple, intuitive touch button. Easily switch on and off, adjust colour temperature and brightness by touching the ring on the black tempered glass panel.






Tasos colour



Tasos bright



Tasos Size

Dark Grey



Matt White



Matt Black



Corten



Stainless Steel



Lustre Copper



Lustre Gold



Lustre Space Grey




MAIN FEATURES

Light source: OSRAM SMD 2835
 Colour temperature: 2700K & 3000K (switchable)
 Colour rendering index: CRI > 80
 Luminaire wattage: 2.5W
 Voltage: DC3.7V
 Luminaire luminous flux: 120lm
 Light optics: 110°
 Light distribution: Wide
 Battery type: 18650 Li-ion battery
 Battery capacity: 2200mAhx2
 Battery charge: ≤6.5 hours
 Battery life: ≥ 10 hours (100% light intensity)

Battery charge protection: Equipped with a self-protection system Adapter(optional): CLASS II;
 Input AC100-240V;
 Output DC5V 1A;
 Single contact charging base incl-: 1.5m USB cable
 Multi contact charging shelf(optional): Stackable up to 3 levels. One charger shelf charges 6 table lamps together.
 Switch: Touch ON/OFF
 Dimmer: Touch stepless dimmable 5%-100%
 Memory function: Memory of brightness and colour temperature
 Protection class: IP65
 Safety: Class III
 Weight: 0.49kg







Dark Grey



Matt White



Matt Black



Corten



Ocean Blue



Ruby Red



MAIN FEATURES

Light source: OSRAM SMD 2835
Colour temperature: 2700K & 4000K (switchable)
Colour rendering index: CRI > 80
Luminaire wattage: 3W
Voltage: DC3.7V
Luminaire luminous flux: 150lm
Light distribution: Wide
Battery type: 18650 Li-ion battery
Battery capacity: 2200mAhx2
Battery charge: ≤6.5 hours

Battery life: ≥ 10 hours (100% light intensity)
Battery charge protection: Equipped with a self-protection system Adapter(optional): CLASS II;
Input AC100-240V;
Output DC5V 1A;
Single contact charging base incl-: 1.5m USB cable
Switch: Touch ON/OFF
Dimmer: Touch stepless dimmable 5%-100%
Memory function: Memory of brightness and colour temperature
Protection class: IP65
Safety: Class III
Weight: 900g






 JALKI se puede utilizar como lámpara de mesa. El cabezal de la lámpara se puede mover verticalmente hacia arriba y hacia abajo para ajustar la altura del mismo según sus requisitos, y lograr diferentes efectos de iluminación. También se puede utilizar como lámpara colgante. Ligera, portátil y con cargador USB Tipo C, las posibilidades de esta luz son infinitas. Es perfecto para hacer picnics en el parque, asistir a festivales o pasear por la playa a la luz de la luna. Crear un ambiente cálido y acogedor.

 JALKI can be used as a table lamp. The lamp head can be moved up and down vertically to adjust the height of the head to your requirements to achieve different lighting effects. It can also be used as a pendant light. Lightweight, portable and with a USB Type C charger, the possibilities of this light are endless. It is perfect for picnics in the park, attending festivals or moonlit walks on the beach. Creating a warm, cosy atmosphere is a way of life.





Dark Grey



Matt White



Matt Black



Orange



Blue



Green Grey



Yellow



MAIN FEATURES

Light source: OSRAM SMD 2835

Colour temperature: 2700K & 3000K (switchable)

Colour rendering index: CRI > 80

Luminaire wattage: 2.5W

Voltage: DC3.7V

Luminaire luminous flux: 120lm

Light distribution: Wide

Battery type: Li-ion battery

Battery capacity: 4400mAh

Full battery charge: ≤ 6.5 hours

Battery working time: ≥ 10 hours (100% light intensity)

Battery charge protection: Equipped with a self-protection system Adapter(optional): CLASS II;

Input AC100-240V;

Output DC5V 1A;

USB Type C charging cable included: 1.5m USB cable

Switch: Touch ON/OFF

Dimmer: Stepless dimmable 5%-100%

Memory function: Memory of brightness and colour temperature

Protection class: IP65


Safety: CLASS III

Weight: 0.75kg





Lámpara de sobremesa recargable con sistema de carga por contacto magnético. Control de perilla simple e intuitivo. Enciende y apague fácilmente, ajuste la temperatura del color y el brillo a través de una perilla. Todas estas características están alojadas en una fundición de aluminio simple, elegante y diseño sencillo



Rechargeable table lamp with a magnetic contact charging system. Simple, intuitive knob control. Easily switch on and off, adjust colour temperature and brightness via a knob. All these features are housed in a simple, elegant, and beautiful aluminium casting. It comes with an optical design diffuser that combines numerous light reflections and refraction, producing even and comfortable light.






Lámpara de sobremesa recargable con sistema de carga por contacto magnético. Control de perilla simple e intuitivo. Encienda y apague fácilmente, ajuste la temperatura del color y el brillo a través de una perilla. Todas estas características están alojadas en una fundición de aluminio simple, elegante y con un diseño sencillo. Viene con un difusor de diseño óptico que combina numerosos reflejos de luz y refracción, produciendo una luz uniforme y cómoda.



Rechargeable table lamp with a magnetic contact charging system. Simple, intuitive knob control. Easily switch on and off, adjust colour temperature and brightness via a knob. All these features are housed in a simple, elegant, and beautiful aluminium casting. It comes with an optical design diffuser that combines numerous light reflections and refraction, producing even and comfortable light.





Dark Grey



Matt White



Matt Black



Orange



Blue



Green Grey



Yellow



Stainless Steel



Lustre Copper



Lustre Gold



Lustre Space Grey



MAIN FEATURES

Light source: OSRAM SMD

Colour temperature: 2700K - 4000K (stepless adjustable)

Dimmable: 5%-100% brightness (stepless adjustable)

Colour rendering index: CRI > 80

Luminaire connected wattage: 3.5 W

Voltage: DC3.7V

Luminaire luminous flux: 150lm

Light optics: 100°

Light distribution: Wide

Battery type: 18650 Li-ion battery

Battery capacity: 2200mAhx2

Battery charge: < 6.5hrs

Battery life: > 11hrs (100% light intensity)

Battery charge protection: Equipped with a self-protection system Adapter(optional): CLASS II;

Input AC100-240V;

Output DC5V 1A;

Magnetic contact charging system: 1.2m USB cable included Switches ON/OFF: Press knob

Adjusts brightness: Turn knob

Adjusts colour temperature: Press and turn knob


Memory function: Memory of brightness & colour temperature

Protection class: IP65

Safety: Class III



 Lámpara de sobremesa recargable con base de carga por contacto. Este accesorio consta de un cilindro con bordes y un fondo redondo. Lámpara de mesa inalámbrica que proporciona luz directa hacia abajo y sin deslumbramiento. La batería dispone de más de 10 horas de duración. Protección IP65, por lo que es ideal para uso en interiores y exteriores. Cabezal, varilla y base fabricados en aleación de aluminio resistente a la corrosión y pintado. Protección con pintura en polvo de poliéster.



 Rechargeable table lamp with a contact charging base. This fixture consists of an edged cylinder and a round bottom. Cordless table lamp providing direct downward and glare-free light. More than 10 hours of battery life. IP65 protection, making it ideal for indoor and outdoor use. Head, rod and base made in corrosion resistant and painted aluminium alloy. Protection with polyester powder coating.





 Lámpara de sobremesa recargable con base de carga por contacto. Lámpara de mesa inalámbrica que proporciona luz directa hacia abajo y sin deslumbramiento. Más de 10 horas de duración de la batería. Protección IP65, por lo que es ideal para uso en interiores y exteriores. Cabezal, varilla y base fabricados en aleación de aluminio resistente a la corrosión y pintado. Protección con pintura en polvo de poliéster. Difusor fabricado en policarbonato. Producto sin tornillos visibles.




 Rechargeable table lamp with a contact charging base. Cordless table lamp providing direct downward and glare-free light. More than 10 hours of battery life. IP65 protection, making it ideal for indoor and outdoor use. Head, rod and base made in corrosion resistant and painted aluminium alloy. Protection with polyester powder coating. Diffuser made in polycarbonate. Product with no visible screws.





Citnos I




Citnos I Size



| 110 |



Citnos II



Citnos II Size



| 110 |

Dark Grey



Matt White



Matt Black



Corten



Orange



Blue



Green Grey



Yellow



MAIN FEATURES

Light source: OSRAM LED Module
 Colour temperature: 2700K & 3000K (switchable)
 Colour rendering index: CRI > 80
 Luminaire connected wattage: 2.2 W
 Voltage: DC3.7V
 Luminaire luminous flux: 150lm
 Light optics: 100°
 Light distribution: Wide
 Battery type: 18650 Li-ion battery
 Battery capacity: 2200mAhx2
 Battery charge: < <6.5hrs

Battery life: < 11hrs (100% light intensity)
 Battery charge protection: Equipped with a self-protection system Adapter(optional): CLASS II;
 Input AC100-240V;
 Output DC5V 1A;
 Single contact charging base incl-: 1.5m USB cable
 Multi contact charging shelf(optional): Stackable up to 3 levels. One charger shelf charges 6 table lamps together.
 Switch: Touch ON/OFF
 Dimmer: Touch stepless dimmable 5%-100%
 Memory function: Memory of brightness
 Protection class: IP65
 Safety: Class III




CHIOS RECHARGE LAMP








Chios I



Chios I Size



Chios II



Chios II Size

Dark Grey



Matt White



Matt Black



Corten



Orange



Blue



Green Grey



Yellow



Stainless Steel



Lustre Copper



Lustre Gold



Lustre Space Grey



MAIN FEATURES

Light source: OSRAM LED Module
 Colour temperature: 2700K & 3000K (switchable)
 Colour rendering index: CRI > 80
 Luminaire connected wattage: 2.2 W
 Voltage: DC3.7V
 Luminaire luminous flux: 150lm
 Light optics: 100°
 Light distribution: Wide
 Battery type: 18650 Li-ion battery
 Battery capacity: 2200mAhx2
 Battery charge: < 6.5hrs

Battery life: < 11hrs (100% light intensity)
 Battery charge protection: Equipped with a self-protection system Adapter(optional): CLASS II;
 Input AC100-240V;
 Output DC5V 1A;
 Single contact charging base incl-: 1.5m USB cable
 Multi contact charging shelf(optional): Stackable up to 3 levels.
 One charger shelf charges 6 table lamps together.
 Switch: Touch ON/OFF
 Dimmer: Touch stepless dimmable 5%-100%
 Memory function: Memory of brightness
 Protection class: IP65
 Safety: Class III



Symi Rechargeable Lamp



 Lámpara de sobremesa recargable con base de carga por contacto. Este accesorio consta de un paralelepípedo y un fondo cuadrado. Lámpara de mesa inalámbrica que proporciona luz directa hacia abajo y sin deslumbramiento. Más de 10 horas de duración de la batería. Protección IP65, por lo que es ideal para uso en interiores y exteriores. Cabezal, varilla y base fabricados en aleación de aluminio resistente a la corrosión y pintado. Protección con pintura en polvo de poliéster. Difusor fabricado en policarbonato.




 Rechargeable table lamp with a contact charging base. This fixture consists of a cuboid and a squared bottom. Cordless table lamp providing direct downward and glare-free light. More than 10 hours of battery life. IP65 protection, making it ideal for indoor and outdoor use. Head, rod and base made in corrosion resistant and painted aluminium alloy. Protection with polyester powder coating. Diffuser made in polycarbonate.






 Lámpara de sobremesa recargable con base de carga por contacto. Este accesorio consta de un paralelepípedo y un fondo cuadrado. Lámpara de mesa inalámbrica que proporciona luz directa hacia abajo y sin deslumbramiento. Más de 11 horas de duración de la batería. Protección IP65, por lo que es ideal para uso en interiores y exteriores. Cabezal, varilla y base fabricados en aleación de aluminio resistente a la corrosión y pintado. Protección con pintura en polvo de poliéster. Difusor fabricado en policarbonato.




 Rechargeable table lamp with a contact charging base. This fixture consists of a cuboid and a squared bottom. Cordless table lamp providing direct downward and glare-free light. More than 11 hours of battery life. IP65 protection, making it ideal for indoor and outdoor use. Head, rod and base made in corrosion resistant and painted aluminium alloy. Protection with polyester powder coating. Diffuser made in polycarbonate.





Symi I

Symi I Size



Symi II

Symi II Size

Dark Grey



Matt White



Matt Black



Corten



Orange



Blue



Green Grey



Yellow



MAIN FEATURES

Light source: OSRAM LED Module
Colour temperature: 2700K & 3000K (switchable)
Colour rendering index: CRI > 80
Luminaire connected wattage: 2.2 W
Voltage: DC3.7V
Luminaire luminous flux: 150lm
Light optics: 100°
Light distribution: Wide
Battery type: 18650 Li-ion battery
Battery capacity: 2200mAhx2
Battery charge: < 6.5hrs

Battery life: < 11hrs (100% light intensity)
Battery charge protection: Equipped with a self-protection system Adapter(optional): CLASS II; Input AC100-240V;
Output DC5V 1A; Single contact charging base incl-: 1.5m USB cable
Multi contact charging shelf(optional): Stackable up to 3 levels. One charger shelf charges 6 table lamps together.
Switch: Touch ON/OFF
Dimmer: Touch stepless dimmable 5%-100%
Memory function: Memory of brightness
Protection class: IP65
Safety: Class III